



TYPE APPROVAL CERTIFICATE

Certificate No. : HMB32779-AE002 **Initial Approval** : 15th April, 1994
Product : Pressure Switch
Manufacturer : Trafag spol.s r.o.
Vilemovska 2129 34701 Tachov, Czech Republic

Product Description : Type : 900, 904 (Pressostat - bellows type)
903, 907, 940, 941 (Vari-Pressostat, bellows type)
944, 947 (Pressostat, Piston type)
920, 924 (Differential-Pressostat, bellows type)
9B0, 9K0, 9M0 (Picostat, Pressure controller)
" See Appendix 1 "

Approval Condition : " See Appendix 1 "

THIS IS TO CERTIFY that the above-mentioned product has been approved in accordance with the relevant requirement of this Society's Rules and / or of the recognized standards as follows and entered in the "List of Approved Manufacturers and Type Approved Equipment".
Pt. 6, Ch. 2, Art. 301 of the Rules for Classification, Steel Ships.

This Certificate is valid until 14th April, 2024
Issued at Busan, Korea on 16th September, 2019



This certificate is signed electronically in accordance with IMO FAL.5/Circ.39/Rev.2. Validation and authentication of the certificate can be confirmed from "http://e-cert.krs.co.kr" by using the tracking No (ME19025539239) and certificate No.(HMB32779 -AE002).



KOREAN REGISTER OF SHIPPING

*General Manager of
Marine & Ocean Equipment Team*

- Note :**
1. This certificate will be valid subject to complying with the approval conditions described on the certificate and/or on the Rules of this Society.
 2. This certificate will be invalid from the expiry date aforementioned unless the extension or renewal has been granted to the applicant or the manufacturer.
 3. Any significant modifications or changes in design or construction to the above product without approval from this Society will render this certificate invalid.
 4. Should the specified rules, regulations or standards be amended during the validity of this certificate, the product is to be re-approved by this Society in accordance with the requirements as amended.

Appendix 1

Product Description and/or Approval Condition

Certificate No : HMB32779-AE002

Date of Issue : 16th September, 2019

A. Product Description

1. Product Specification

1) Product Description

Pressure sensor and monitoring instruments for marine applications.

- 900, 904 (Pressostat)
Measuring principle : bellows type
Measuring ranges : -0.9~1.5 to 10~100 bar
- 903, 907, 940, 941 (Vari-Pressostat)
Measuring principle : bellows type
Measuring ranges : -0.9~1.5 to 4~40 bar
- 944, 947 (Pressostat)
Measuring principle : Piston type
Measuring ranges : 1~10 to 60~600 bar
- 920, 924 (Differential-Pressostat)
Measuring principle : bellows type
Measuring ranges : -1~6 to -1~18 bar
- 9B0, 9K0, 9M0 (Picostat, Pressure controller)
Sensor : Bellows, Piston, Membrane
Measuring range : -0.6~3.4 to 40~400 bar.

2. Approved Drawings and Documents

1) Drawings

- Dwg. No. D93208~D93210, D93301~D93302, D23012, D23032/5

2) Data sheet

- H72202o (2018.07), H72252t (2018.12), H72253q (2017.02),
H72257r (2018.12), H72259s (2018.12)

3. Test Reports, etc.

1) Environmental Test Report

- Test Report No. Z-900/920/940/944 of Sep. 24 1990
- Report No. GB/piu2 of Jul. 1 1992
- LR Test report No. Pressostat 900&912/920/944&953 of 1994.02
- V-12040 for Vibration test of 2012.08
- V-12054 for Cold test of 2012.08
- UB14284 for Damp heat test of 2019.08

B. Approval Condition

1. Application & Limitation

- 1) This approval is granted on the basis of the test reports and the approved documentation.

2. Individual Product Cert. and Drawing Approval Requirement

- 1) Individual Product Certification is not required.

3. Marking

- 1) The product or packing is to be marked with the manufacturer's name and type designation on a suitable position.

Appendix 1

Product Description and/or Approval Condition

Certificate No : HMB32779-AE002

Date of Issue : 16th September, 2019

4. Others

1) Test condition

Test	Condition	Remark
EMC	Not Applied	*1
Temperature	-25 ~ +70°C	-
Vibration	Acceleration ±4g	-
Degree of protection	IP65	-

*1 : Non-power equipment

< End of Certificate >

